









Pattern No.: 0410352 / S0114M18 - Yarn Quality Tandem left V-Teil(e)

A	B	C	D	E	D	C	B	A
	>	8A - Draw separation thread -						
	>	7A 1x 28/2 Nm Camelia 50% CO, 50% PA Alpes						
						6A 1x 28/2 Nm Contessa 50% CO, 50% PC BSA Schaefer	>	
						5A 1x 28/2 Nm Camelia 50% CO, 50% PA Alpes	>	
	>	4A 1x 28/2 Nm Contessa 50% CO, 50% PC BSA Schaefer						
						3A 1x 28/2 Nm Contessa 50% CO, 50% PC BSA Schaefer	>	
	>	2A 1x 28/2 Nm Residual yarn -						
						1A 1x 28/2 Nm Residual yarn -	>	

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Intarsia type 1



Intarsia type 2



Plating Yf. N











Plating_w_2->1



Plating_w_2->2

Pattern No.: 0410352 / S0114M18 - Yarn Quality Tandem right V-Teil(e)

A	B	C	D	E	D	C	B	A
	<	8A - Draw separation thread -		 8				
	<	7A 1x 28/2 Nm Camelia 50% CO, 50% PA Alpes		 7				
				6 		6A 1x 28/2 Nm Contessa 50% CO, 50% PC BSA Schaefer	<	
				5 		5A 1x 28/2 Nm Camelia 50% CO, 50% PA Alpes	<	
	<	4A 1x 28/2 Nm Contessa 50% CO, 50% PC BSA Schaefer		 4				
				3 		3A 1x 28/2 Nm Contessa 50% CO, 50% PC BSA Schaefer	<	
	<	2A 1x 28/2 Nm Residual yarn -		 2				
				1 		1A 1x 28/2 Nm Residual yarn -	<	

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Intarsia type 1



Intarsia type 2



Plating Yf. N



Plating_w_2->1



Plating_w_2->2

Pattern No.: 0410352 / S0114M18

Split Cam

