












Pattern No.: 0810330 - Yarn Quality Ärmelbündchen

A	B	C	D	E	D	C	B	A		
				8				8A - - Residual yarn - -	<	
				7						
				6						
				5						
				4						
				3				3A, BLACK 3x Nm 13 BS-K136-1 43% PA, 29% WV, 28% WM Best Shan (shanghai)	<<<	Friction <
	>	2A - - Comb thread - -		2						
Friction >	>	1A - - Draw separation thread - -		1						


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track










Pattern No.: 0810330 - Yarn Quality Leibteil(e)

A	B	C	D	E	D	C	B	A		
				8				8A - - Residual yarn - -	<	
				7						
				6				6A, BLACK 3x Nm 13 BS-K136-1 43% PA, 29% WV, 28% WM Best Shan (shanghai)	<<<	Friction <
				5				5A, BLACK 3x Nm 13 BS-K136-1 43% PA, 29% WV, 28% WM Best Shan (shanghai)	<<<	Friction <
				4				4A, BLACK 3x Nm 13 BS-K136-1 43% PA, 29% WV, 28% WM Best Shan (shanghai)	<<<	Friction <
				3				3A, BLACK 3x Nm 13 BS-K136-1 43% PA, 29% WV, 28% WM Best Shan (shanghai)	<<<	Friction <
	>	2A - - Comb thread - -		2						
Friction >	>	1A - - Draw separation thread - -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Pattern No.: 0810330 - Yarn Quality Ärmel

A	B	C	D	E	D	C	B	A		
				8				8A - - Residual yarn - -	<	
				7						
				6				6A, BLACK 3xNm 13 BS-K136-1 43% PA, 29% WV, 28% WM Best Shan	<<<	Friction <
				5				5A, BLACK 3xNm 13 BS-K136-1 43% PA, 29% WV, 28% WM Best Shan	<<<	Friction <
				4				4A, BLACK 3xNm 13 BS-K136-1 43% PA, 29% WV, 28% WM Best Shan	<<<	Friction <
				3				3A, BLACK 3xNm 13 BS-K136-1 43% PA, 29% WV, 28% WM Best Shan	<<<	Friction <
	>	2A - - Comb thread - -		2						
Friction >	>	1A - - Draw separation thread - -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

