











Pattern No.: 0910290 - Yarn Quality Zutaten

A	B	C	D	E	D	C	B	A		
				8				8A 1x Nm 44/2 Draufreihen Protection thread -	<	
				7						
				6						
				5				5A 1x Nm 60/2 Solution 100% PP Grignasco	<	Friction <
				4				4A 1x Nm 60/2 Solution 100% PP Grignasco	<	Friction <
				3				3A 1x Nm 60/2 Solution 100% PP Grignasco	<	Friction <
	>	2A - Comb thread -		2						
	>	1A - Draw separation thread -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track







Pattern No.: 0910290 - Yarn Quality V-Teil(e)

A	B	C	D	E	D	C	B	A		
				8				8A 1x Nm 44/2 Protection thread -	<	
				7						
				6						
				5						
				4				4A 1x Nm 60/2 Solution 100% PP Grignasco	<	Friction <
				3						
	>	2A - Comb thread -		2						
	>	1A - Draw separation thread -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Pattern No.: 0910290 - Yarn Quality R-Teil(e)

A	B	C	D	E	D	C	B	A		
				8				8A 1x Nm 44/2 Protection thread -	<	
				7						
				6						
				5						
				4				4A 1x Nm 60/2 Solution 100% PP Grignasco	<	Friction <
				3						
	>	2A - Comb thread -		2						
	>	1A - Draw separation thread -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Pattern No.: 0910290

Other Requirements:

Aufholspanner auf 2.5
über Fournisseur normal, möglichst locker
