












Pattern No.: 1110094 - Yarn Quality Kragen_1

A	B	C	D	E	D	C	B	A
				8				8A - Residual yarn -
	>	7A - Residual yarn -		7				
				6				
				5				
Friction >	>>	4A 2x Nm 70 Noir 82% CO, 18% PA Lineapiù		4				
				3				
	>	2A - Comb thread -		2				
	>	1A - Draw separation thread -		1				








A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track









Pattern No.: 1110094 - Yarn Quality V-Teil(e) links

A	B	C	D	E	D	C	B	A
				8				8A - Residual yarn -
				7				
				6				6A 2x Nm 70 Noir 82% CO, 18% PA Lineapiù
				5				
				4				
Friction >	>>>	3A 3x Nm 70 Noir 82% CO, 18% PA Lineapiù		3				
	>	2A - Comb thread -		2				
	>	1A - Draw separation thread -		1				

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal
  Intarsia type 1
  Intarsia type 2
  Plating Yf. N
  Double-Arm Plating Yf.
  Plating_w_2->1
  Plating_w_2->2









Pattern No.: 1110094 - Yarn Quality V-Teil(e) rechts

A	B	C	D	E	D	C	B	A		
				8				8A - Residual yarn -	<	
				7						
				6				6A 2x Nm 70 Noir 82% CO, 18% PA Lineapiù	<<	Friction <
				5						
Friction >	>>	4A 2x Nm 70 Noir 82% CO, 18% PA Lineapiù		4						
Friction >	>>>	3A 3x Nm 70 Noir 82% CO, 18% PA Lineapiù		3						
	>	2A - Comb thread -		2						
	>	1A - Draw separation thread -		1						


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track







Pattern No.: 1110094 - Yarn Quality R-Teil(e)

A	B	C	D	E	D	C	B	A
				8				8A - Residual yarn -
	>	7A - Residual yarn -		7				
				6				6A 2x Nm 70 Noir 82% CO, 18% PA Lineapiù
				5				5A 3x Nm 70 Noir 82% CO, 18% PA Lineapiù
Friction >	>>	4A 2x Nm 70 Noir 82% CO, 18% PA Lineapiù		4				
Friction >	>>>	3A 3x Nm 70 Noir 82% CO, 18% PA Lineapiù		3				
	>	2A - Comb thread -		2				
	>	1A - Draw separation thread -		1				

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Pattern No.: 1110094 - Yarn Quality Ärmel

A	B	C	D	E	D	C	B	A		
				8				8A - Residual yarn -	<	
				7						
				6				6A 2x Nm 70 Noir 82% CO, 18% PA Lineapiù	<<	Friction <
				5						
				4						
				3						
	>	2A - Comb thread -		2						
	>	1A - Draw separation thread -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

