

















Pattern No.: 0910128 - Yarn Quality V-Teil(e)

A	B	C	D	E	D	C	B	A
				8		8A - Residual yarn -	<	Friction <
				7				
				6				
				5		5A, WHITE 1x Nm 48/2 - 100% WS Ningbo Consinee	<	Friction <
				4		4A, RED 1x Nm 48/2 - 100% WS Ningbo Consinee	<	Friction <
				3				
	>	2A - Comb thread -		2				
Friction >	>	1A - Draw separation thread -		1				

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

-  Normal
-  Intarsia type 1
-  Intarsia type 2
-  Plating Yf. N
-  Double-Arm Plating Yf.
-  Plating_w_2->1
-  Plating_w_2->2

Pattern No.: 0910128 - Yarn Quality R-Teil(e)

A	B	C	D	E	D	C	B	A		
				8				8A - Residual yarn -	<	Friction <
				7						
				6						
				5						
				4				4A, RED 1x Nm 48/2 - 100% WS Ningbo Consinee	<	Friction <
				3						
	>	2A - Comb thread -		2						
Friction >	>	1A - Draw separation thread -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

