


















Pattern No.: 0910198 - Yarn Quality V-Teil(e)

A	B	C	D	E	D	C	B	A
	>	8A 1x Comb thread -		8		8C 1x Nm 60/4 Vista 50% CO, 50% CMD Schoeller	<	Friction <
	>	8B 1x Draw separation thread -						
Friction >	>	7A 1x Nm 60/4 Vista 50% CO, 50% CMD Schoeller		7		7B, NAVY 1x Nm 28/2 Nobless 100% CO Gebr. Otto	<	Friction <
Friction >	>	6A, TURQUOISE 1x Nm 28/2 Nobless 100% CO Gebr. Otto		6		6B, NAVY 1x Nm 28/2 Nobless 100% CO Gebr. Otto	<	Friction <
Friction >	>	5A 1x Nm 60/4 Vista 50% CO, 50% CMD Schoeller		5		5B 1x Nm 60/4 Vista 50% CO, 50% CMD Schoeller	<	Friction <
Friction >	>	4A 1x Nm 60/4 Vista 50% CO, 50% CMD Schoeller		4		4B, BLUE 1x Nm 28/2 Nobless 100% CO Gebr. Otto	<	Friction <
Friction >	>	3A, TURQUOISE 1x Nm 28/2 Nobless 100% CO Gebr. Otto		3		3B 1x Nm 60/4 Vista 50% CO, 50% CMD Schoeller	<	Friction <
Friction >	>	2A, TURQUOISE 1x Nm 28/2 Nobless 100% CO Gebr. Otto		2		2B, BLUE 1x Nm 28/2 Nobless 100% CO Gebr. Otto	<	Friction <
Friction >	>	1A 1x Nm 60/4 Vista 50% CO, 50% CMD Schoeller		1		1B 1x Nm 60/4 Vista 50% CO, 50% CMD Schoeller	<	Friction <

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Pattern No.: 0910198

Other Requirements:

All front systems must be changed to short tuck cams.

Die 3 vorderen Systeme müssen für kurzen Fang umgebaut werden.
