











**Pattern No.: 0310627 / D056T12 - Yarn Quality Tandem left Strickteil(e)**

A	B	C	D	E	D	C	B	A
				8				
				7				
	V	6A  -   Draw separation thread   -		 6				
	V	5A  -   Draw separation thread   -		 5				
				4				
				3		3A  1x Nm 28/2   Woolissimo   -   Filore	V	
				2		2A  1x Nm 28/2   Woolissimo   -   Filore	V	
						2B  1x Nm 28/2   Woolissimo   -   Filore	V	
	V	1A  -   Draw separation thread   -		 1				

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



**Pattern No.: 0310627 / D056T12 - Yarn Quality Tandem right Strickteil(e)**

A	B	C	D	E	D	C	B	A
				8				
				7				
	V	6A  -   Draw separation thread   -						
	V	5A  -   Draw separation thread   -						
				4				
				3			V	3A  1x Nm 28/2   Woolissimo   -   Filore
				2	 		V	2A  1x Nm 28/2   Woolissimo   -   Filore
							V	2B  1x Nm 28/2   Woolissimo   -   Filore

1A) - | Draw separation thread | - |

V



1

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Normal-ADF



Intarsia type 1



Intarsia type 2



Plating Yf. N



Double-Arm Plating Yf.



Plating\_w\_2->1



Plating\_w\_2->2

**Pattern No.: 0310627 / D056T12**

**Other Requirements:**

1 Trimming 2 Stop blocks needed.

2 Fadenführer begrenzer pro Blende erforderlich .

---