






Pattern No.: 1910065 - Yarn Quality Kragen_1

A	B	C	D	E	D	C	B	A		
				8				8A 1x Protection thread -	<	Friction <
				7						
				6						
				5						
				4				4A 2x Nm 5 Soffstar 50% WV, 50% PA Filpucci	<<	Friction <
				3				3A 1x Nm 5 Soffstar 50% WV, 50% PA Filpucci	<	Friction <
				2				2A 1x Comb thread -	<	Friction <
				1				1A 1x Draw separation thread -	<	

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Normal-ADF



Intarsia type 1



Intarsia type 2



Plating Yf. N



Double-Arm Plating Yf.








Plating_w_2->1



Plating_w_2->2

Pattern No.: 1910065 - Yarn Quality V-Teil(e)

A	B	C	D	E	D	C	B	A		
				8				8A 1x Protection thread -	<	Friction <
				7						
				6				6A 3x Nm 5 Soffstar 50% WV, 50% PA Filpucci	<<<	Friction <
				5						
				4				4A 2x Nm 5 Soffstar 50% WV, 50% PA Filpucci	<<	Friction <
				3						
				2				2A 1x Comb thread -	<	Friction <
				1				1A 1x Draw separation thread -	<	

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Normal-ADF



Intarsia type 1



Intarsia type 2



Plating Yf. N



Double-Arm Plating Yf.








Plating_w_2->1



Plating_w_2->2

Pattern No.: 1910065 - Yarn Quality R-Teil(e)

A	B	C	D	E	D	C	B	A			
				8				8A 1x Protection thread -	<	Friction <	
				7							
				6				6A 3x Nm 5 Soffstar 50% WV, 50% PA Filpucci	<<<	Friction <	
				5							
				4				4A 2x Nm 5 Soffstar 50% WV, 50% PA Filpucci	<<	Friction <	
				3							
				2				2A 1x Comb thread -	<	Friction <	
				1				1A 1x Draw separation thread -	<		

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

