












Pattern No.: 0910020 - Yarn Quality Kragen_1

A	B	C	D	E	D	C	B	A
				8		8A - - Residual yarn - -	<	Friction <
				7				
				6				
				5				
				4		4A, LIGHT BLUE 2x Nm 28/2 Lana Blend 50% WV, 50% PC Xinao	<<	Friction <
				3		3A, DARK BLUE 2x Nm 28/2 Lana Blend 50% WV, 50% PC Xinao	<<	Friction <
	>	2A - - Comb thread - -		2				
Friction >	>	1A - - Draw separation thread - -		1				

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track








Pattern No.: 0910020 - Yarn Quality V-Teil(e)

A	B	C	D	E	D	C	B	A		
				8				8A - - Residual yarn - -	<	Friction <
				7						
				6						
Friction >	>>	5A, LIGHT BLUE 2x Nm 28/2 Lana Blend 50% WV, 50% PC Xinao		5						
				4				4A, LIGHT BLUE 2x Nm 28/2 Lana Blend 50% WV, 50% PC Xinao	<<	Friction <
Friction >	>	3A - - Residual yarn - -		3				3B, DARK BLUE 2x Nm 28/2 Lana Blend 50% WV, 50% PC Xinao	<<	Friction <
	>	2A - - Comb thread - -		2						
Friction >	>	1A - Draw separation thread -		1						


A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track








Pattern No.: 0910020 - Yarn Quality R-Teil(e)

A	B	C	D	E	D	C	B	A		
				8				8A - - Residual yarn - -	<	Friction <
				7						
				6						
				5						
				4				4A, LIGHT BLUE 2x Nm 28/2 Lana Blend 50% WV, 50% PC Xinao	<<	Friction <
				3				3A, DARK BLUE 2x Nm 28/2 Lana Blend 50% WV, 50% PC Xinao	<<	Friction <
	>	2A - - Comb thread - -		2						
Friction >	>	1A - - Draw separation thread - -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Pattern No.: 0910020 - Yarn Quality Ärmel

A	B	C	D	E	D	C	B	A		
				8				8A - - Residual yarn - -	>	Friction >
				7						
				6						
				5						
				4				4A, LIGHT BLUE 2x Nm 28/2 Lana Blend 50% WV, 50% PC Xinao	<<	Friction <
				3				3A, DARK BLUE 2x Nm 28/2 Lana Blend 50% WV, 50% PC Xinao	<<	Friction <
	>	2A - - Comb thread - -		2						
Friction >	>	1A - - Draw separation thread - -		1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

