









Pattern No.: 0610248 - Yarn Quality Ärmelbündchen

A	B	C	D	E	D	C	B	A
				8		8A - Residual yarn -	<	Friction <
				7				
				6				
				5				
				4		4A, ORANGE 1x 50/2 Nm Sueno 86% VI, 14% PBT Lineapiù	<	Friction <
				3				
	>	2A - Comb thread -		2				
Friction >	>	1A - Draw separation thread -		1				








A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track










Pattern No.: 0610248 - Yarn Quality Leibteil(e)

A	B	C	D	E	D	C	B	A
				8		8A - Residual yarn -	<	Friction <
				7				
				6				
				5				
				4		4A, ORANGE 1x 50/2 Nm Sueno 86% VI, 14% PBT Lineapiù	<	Friction <
Friction >	>	3A, ORANGE 1x 50/2 Nm Sueno 86% VI, 14% PBT Lineapiù		3				
	>	2A - Comb thread -		2				
				1				

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

 Normal
  Intarsia type 1
  Intarsia type 2
  Plating Yf. N
  Double-Arm Plating Yf.
  Plating_w_2->1
  Plating_w_2->2

Pattern No.: 0610248 - Yarn Quality Ärmel

A	B	C	D	E	D	C	B	A		
				8				8A - Residual yarn -	<	Friction <
				7				7A, YELLOW 1x 9/1 Nm Bouncy G-525 51% PC, 25% WO, 20% PA, 4% EA Guoyue Spinning	<	Friction <
Friction >	>	6A - Residual yarn - -		6						
Friction >	>	5A, YELLOW 1x 9/1 Nm Bouncy G-525 51% PC, 25% WO, 20% PA, 4% EA Guoyue Spinning		5						
				4				4A, ORANGE 1x 50/2 Nm Sueno 86% VI, 14% PBT Lineapiù	<	Friction <
Friction >	>	3A, ORANGE 1x 50/2 Nm Sueno 86% VI, 14% PBT Lineapiù		3						
	>	2A - Comb thread -		2						
				1						

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track

