






Pattern No.: 0610198 - Yarn Quality Tandem left Leibteil(e)

A	B	C	D	E	D	C	B	A
	>	8A - Draw separation thread -			8			
					7			
					6			
					5			
					4		4A 3x 34/2 Nm Ocean 50% CO, 50% PC TVU	>>> Friction >
					3		3A 3x 34/2 Nm Ocean 50% CO, 50% PC TVU	>>> Friction >
	>	2A - Residual yarn -			2			
					1		1A - Residual yarn -	>

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Intarsia type 1



Intarsia type 2



Plating Yf. N








Plating_w_2->1



Plating_w_2->2

Pattern No.: 0610198 - Yarn Quality Tandem right Leibteil(e)

A	B	C	D	E	D	C	B	A
	<	8A - Draw separation thread -			8			
					7			
					6			
					5			
					4		4A 3x 34/2 Nm Ocean 50% CO, 50% PC TVU	<<< Friction <
					3		3A 3x 34/2 Nm Ocean 50% CO, 50% PC TVU	<<< Friction <
	<	2A - Residual yarn -			2			
					1		1A - Residual yarn -	<

A: Feed Wheel B: Feed C: Yarn count D: Feeder E: Track



Normal



Intarsia type 1



Intarsia type 2



Plating Yf. N



Plating_w_2->1



Plating_w_2->2

Pattern No.: 0610198

Other Requirements:

Maschine: CMS 933 E7 mit E5 Nadeln
